

## 2015 Cryptosporidiosis Surveillance Summary

### Cryptosporidiosis Cases† and Incidence by Health District, State of Utah

Health District	5-Year Case Count Average, 2010-2014	5-Year Average Incidence*	2014 Case Count	2014 Incidence*	2015 Case Count	2015 Incidence*	2015 Cases Reporting RWE‡ in Utah	% of 2015 Cases with RWE‡
Bear River	4.6	2.7	2	1.2	4	2.3	0	0%
Central Utah	0.8	1.1	2	2.6	9	11.8	1	11%
Davis County	26.6	8.4	13	3.9	24	7.3	8	33%
Salt Lake County	27.4	2.6	21	1.9	62	5.7	11	18%
San Juan County	0.0	0.0	0	0.0	0	0.0	0	0%
Southeast Utah	0.0	0.0	0	0.0	0	0.0	0	0%
Southwest Utah	1.8	0.9	2	0.9	1	0.5	0	0%
Summit County	0.4	1.1	0	0.0	1	2.6	1	100%
Tooele County	0.8	1.3	1	1.6	3	4.9	0	0%
TriCounty	9.8	17.8	5	8.6	19	32.6	1	5%
Utah County	16.8	3.1	14	2.5	22	3.9	6	27%
Wasatch County	0.6	2.3	0	0.0	7	25.3	2	29%
Weber-Morgan	11.2	4.5	10	4.0	22	8.8	1	5%
<b>State of Utah</b>	<b>101</b>	<b>3.5</b>	<b>70</b>	<b>2.4</b>	<b>174</b>	<b>5.9</b>	<b>31</b>	<b>18%</b>

†Probable and confirmed cases based on event date

‡Recreational water exposure (RWE) reported at a Utah permitted or non-permitted site

\*Incidence is calculated per 100,000 person-years using Utah population estimates obtained from <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>  
2014 Utah population estimates were used for 2014 and 2015 rates

### Cryptosporidiosis Cases by MMWR Week, State of Utah, 2015

